

**UOXX.S2424**
Control Unit Accessories, System[Page Bottom](#)**Control Unit Accessories, System**[See General Information for Control Unit Accessories, System](#)**FIRE-LITE ALARMS**

S2424

1 Fire-lite PI
Northford, CT 06472 USA**Investigated to UL 864 (9th edition)****Alarm annunciators/remote trouble units** Model(s) TLSR**Amplifier** Model(s) ECC-50BDA (F20)**Amplifier - subassembly** Model(s) ECC-50W-25V (f20), ECC-50W-70V (f20), ECC-50WB (F20)**Annunciator control systems** Model(s) ACS(f01)**Backboxes** Model(s) ANN-SB80KIT-B(f15), ANN-SB80KIT-R(f15), ANN-SB80KIT-W(f15)**Battery boxes** Model(s) BB-17F**Battery enclosures** Model(s) BB-55F**Bracket** Model(s) IPBRKT**Circuit Expander - subassembly** Model(s) ECC-CE6 (f20)**Control modules** Model(s) CMF-300 (f17), CMF-300 (f20), CRF-300 (f17), CRF-300 (f20)**CRT display units** Model(s) CRT1, CRT2, MON-1, MON-17, MON-17B, MON-20, MON-20T, MON-21**Digital alarm communicator transmitters** Model(s) 411, 411-UD**Distributed audio panels** Model(s) ACC-25/50DA(f10), ACC-25/50DAZS(f10), FC-25/50 DA**Emergency Command Center - ACU** Model(s) ECC-50/100 (f20), ECC-50/100E (f20)**Emergency command center - ACU, input 120 V ac, 60 Hz, 3.5 A** Model(s) ECC-50/100**Enclosures** Model(s) BB-2F, BB-6F, IPENC, R.O.M.E. Relay Option Module Enclosure(f13), T-IPENC**End-of-line power supervisory relay modules** Model(s) SDLR(f02)**End-of-line resistors** Model(s) 71274, 71283, ELR, R-120, R-2.2K, R-27K, R-470**End-of-line supervision devices** Model(s) REL-3.3K(f16)**Fault isolator modules** Model(s) I300, I900**Fire alarm subassemblies** Model(s) ACC-AAM25, ACC-EPM, ACC-FFT, ACC-MCB, ACC-ZPMK, ACC-ZSM**Fire fighter telephone station** Model(s) ECC-FFT**Firefighter phone jacks** Model(s) FPJ, FPJ-F(f11)**Input monitor modules** Model(s) MMF-300-10**Input/Output Module** Model(s) CDRM-300**Input/output relay modules, 15-32 Vdc, 2.0 mA** Model(s) IO900**Interface Module** Model(s) MMF-902

IP Digital Alarm Communicators Model(s) IPDACT, IPDACT-2, IPDACT-2UD

Lamp driver annunciator modules Model(s) LDM(f01), LDM-32(f01), LDM-E32(f01), LDM-R32(f01)

Local Operator Console Model(s) ECC-LOC (f20)

Monitor module Model(s) MMF-900

Monitor modules Model(s) MCF-300, MMF-300, MMF-301, MMF-302

Monitor modules 15-32 V dc, 5.7 mA, compatible for connection only on the intelligent communication circuit of Model AFC600 fire alarm system control unit by Notifier, either in Flashscan or CLIP mode Model(s) MDF-300

Municipal box transmitters Model(s) MBT-1

Noise control modules Model(s) NCM-1

Power supply circuit extender and battery chargers Model(s) FCPS-24FS6(f19), FCPS-24FS6E(f19), FCPS-24FS8(f19), FCPS-24FS8E(f19)

Printers Model(s) P-80, PRN-2, PRN-3, PRN-4, PRN-6F

Relay modules Model(s) CRF-300-6

Relay modules, input 24 V dc, 75 mA, individual relay contacts rated 30 Vac, 0.5 A resistive, 30 V dc, 2 A resistive Model(s) ANN-RLY(f13)

Remote annunciators Model(s) ANN-100, ANN-80, ANN-80-W, ANN-IO(f12), ANN-RLED(f13), LCD-80F(f06)

Remote annunciators, input 18-28V dc, 68mA Model(s) ANN-LED(f13)

Remote fire fighter phones Model(s) FHE

Remote firefighter phones Model(s) FHS-F(f11)

Remote microphone modules Model(s) ECC-RM, FC-RMM(f18)

Remote paging jacks Model(s) RPJ-1, RPJ-F(f11)

Remote paging unit Model(s) ECC-RPU

Remote station wiring harness Model(s) 71270

Remote zone annunciators Model(s) RZA-4XF, RZA-5F

Serial/parallel interfaces Model(s) ANN-S/PG

Six Zone interface modules Model(s) MMF-302-6

Subassemblies Model(s) ACC-AAM25 Audio Amplifier(f10), ACC-EPM External Page Module(f10), ACC-FFT Firefighter Telephone Module(f11), ACC-MCB Master Command Board(f10), ACC-ZPMK Zone Page Module with Keypad(f10), ACC-ZSM Zone Splitter Module(f10), ANN-LC(f21) fiber module, FC-MIM Microphone Interface Module, ZNAC-4 Class A Converter Module(f09), ZNAC-92 Class A Converter Module(f04)

Supervised Control Module Model(s) CMF-900

Supervising control modules Model(s) CMF-300-6

Transformers - subassembly Model(s) ECC-XRM-70V(f20)

Voice evacuation control panels Model(s) Audio Command Center 25/50ZS, Audio Command Center 25/50ZST, Audio Command Center ACC-25/50

Voice evacuation/emergency message control panels Model(s) Fire command 25/50, Fire Command 25/50X, Fire Command 25/50XE

Wireless driver Model(s) W-DIS-D

Wireless gateway Model(s) W-GATE

Wireless monitor module Model(s) W-MMF

Wireless relay module Model(s) W-CRF

(f01) - For use with this Listee's Listed Model MS9200 and S2000 system control units

(f02) - For use with this Listee's Listed Series SD34 and SD34T Series, CP351(T), SD351(T) smoke detectors

(f06) - For use with this Listee's Model MS-9600FACP control panel

(f09) - For use with this Listee's Models FCPS-24FS6, FCPS-24FS6E, FCPS-24FS8 and FCPS-24FS8E power supply circuit extenders.

(f10) - For use with this Listee's Model ACC-25/50, ACC-25/50ZS and ACC-25/50ZST.

(f11) - For use with this Listee's Model ACC-25/50ZST voice evacuation control unit.

(f12) - Intended for use with specific control units as indicated in control unit installation manual.

(f13) - Complementary Listed to FSYE, QVAX and SYSW.

(f15) - For use with the Listee's Models ANN-80 and ANN-80-W Remote Annunciators.

(f16) - Provided as part of installation kit Model RP-3.3K.

(f17) - Intended for use with specific control units as indicated in control unit installation manual. May be shipped with one Listed ANN-LED or ANN-RLY Relay Module already installed.

(f18) - Complementary Listed to UOQY.

(f19) - Complementary Listed to UTRZ.

(f20) - Complementary Listed under PGWM

(f21) - Complementary Listed to FSYE and QVAX.

(T) - Suitable for use in ambient temperatures of 0 - 49 C (32 - 120 F)

NOTE - Intended for use with specific control units as indicated in the control unit installation manual.

[Last Updated](#) on 2018-01-04

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".